


20007/51/EC指令限制销售某些含汞测量设备

2007/51/EC指令对含有汞的某些非电子电气测量设备做出了统一级别的销售限制。新的限制对环境有益，而且从长远来看，对人的健康亦百利而无害。对于含汞产品，该指令已考虑各成员国因采用不同法律所产生的不同点，而制定出协调性条例。

该指令为76/769/EEC欧盟对危险物质的限制指令的修改版本，对用于销售给公众用途的医疗设备，尤其是体温计作出限制。

进口超过50年以上的视为古董或文化产品的含汞测量设备，不受本指令的限制。

主要作为装饰品而售给公众的水银气压计，有一个逐步淘汰的阶段，以给制造商应限制要求做出调整。



新的限制将适用在市场投放的新测量设备，而不适用已经使用或作为二手货出售的测量设备。

成员国须在2008年10月3日之前发布符合本指令的规定。这些条例从2009年4月3日起执行。

本指令要求如下：

汞的CAS No. (化学物质登记号码) 7439-97-6

- 不可投放于下列产品市场
 - ⇒ 体温计
 - ⇒ 有售给公众意向的其它测量设备（如：压力计、气压计、血压计、除体温计外的温度计）
- 第一段（b）部分的限制规定不适用于：
 - ⇒ 2007年10月3日前，超过50年历史的测量设备；或
 - ⇒ 直到2009年10月3日为止的气压计（古玩除外）

用于工业或专业用途（如健康护理）的测量设备（包括专业使用温度计和血压计）仍允许出售。2009年，委员会将对替代汞的更安全可靠的物质的可行性进行评估，如可行，含汞装置将会被逐步淘汰。

如欲咨询，请联系：

广州：
 谢晓北 ☎：020-82155579 📠：13809203403 ✉：tommy.xie@sgs.com
 刘汉彦 ☎：020-82155512 📠：13503036678 ✉：hans.liu@sgs.com
 上海：
 张群英 ☎：+86 021 61072771 📠：+86 021 54500353 ✉：Nancy.qv.zhang@sgs.com

亚洲—香港：电话：+852 2334 4481 传真：+852 2144 7001 电子邮箱：mktg.hk@sgs.com
 澳大利亚—佩恩 电话：+61 (0) 3 9790 3418 传真：+61 (0) 3 97010988 电子邮箱：au.cts@sgs.com
 欧洲—伦敦—英国：电话：+44(0) 20 8991 3410 传真：+44(0) 20 8991 3417 电子邮箱：ukenquiries@sgs.com
 非洲和中东地区—土耳其：电话：+90 212 225 0024 传真：+90 212 296 47 82 电子邮箱：sgs.turkey@sgs.com
 美洲—美国：电话：+1 973 575 5252 传真：+1 973 575 1193 电子邮箱：Marketing.CTS.US@sgs.com
 网址：www.sgs.com 全球能力支持中心：电子邮箱：qcsc@sgs.com

© 2007 SGS. All rights reserved. This is a publication of SGS, except for 3rd parties' contents submitted or licensed for use by SGS. SGS neither endorses nor disapproves said 3rd parties contents. This publication is intended to provide technical information and shall not be considered an exhaustive treatment of any subject treated. It is strictly educational and does not replace any legal requirements or applicable regulations. It is not intended to constitute consulting or professional advice. The information contained herein is provided "as is" and SGS does not warrant that it will be error-free or will meet any particular criteria of performance or quality. Do not quote or refer any information herein without SGS's prior written consent.